

1400 REF



3300 REF

DRAIN 2" SOC


INLET 4" FL

DRAIN 3/4" NIP

OUTLET 4" FL



TO "DP" H.P./ SOLENOID




TO "DP" L.P.

**ALL FLANGES - DIN PN16**



DWG No	635-03-140-026	SHEET	1 of 6	CAT No	635-03-140-026	REV	01	CREATED DATE	13/01/2010
DESCRIPTION	SYSTEM F635M *3 + F140VFR W/O CON								
COUNTRY	INLET PRESSURE		DRAWN		STATUS				
	UP TO 8 Bar		DavidT		In Work				
CLIENT	FLOW RATE		SCALE		APPR MARK		APPR MARK DATE		
	60 m <sup>3</sup> /h		A4 _ 1:16		ORNA				
			DIM		APPR ENG		APPR ENG DATE		
			mm						


17/08/2016 09:29:42



**ALL FLANGES - DIN PN16**



DWG No	635-03-140-026	SHEET	2 OF 6	CAT No	635-03-140-026	REV	01	CREATED DATE	13/01/2010
DESCRIPTION	SYSTEM F635M *3 + F140VFR W/O CON								
COUNTRY	INLET PRESSURE		DRAWN		STATUS				
	UP TO 8 Bar		DavidT		In Work				
CLIENT	FLOW RATE		SCALE		DIM		APPR MARK		APPR MARK DATE
	60 m <sup>3</sup> /h		A4 _ 1:17		mm		ORNA		APPR ENG DATE
							APPR ENG		APPR ENG DATE




**ALL FLANGES - DIN PN16**



DWG No	635-03-140-026	SHEET	3 OF 6	CAT No	635-03-140-026	REV	01	CREATED DATE	13/01/2010
DESCRIPTION	SYSTEM F635M *3 + F140VFR W/O CON								
COUNTRY	INLET PRESSURE		DRAWN		STATUS				
	UP TO 8 Bar		DavidT		In Work				
CLIENT	FLOW RATE		SCALE		DIM		APPR MARK		APPR MARK DATE
	60 m <sup>3</sup> /h		A4 _ 1:10		mm		ORNA		APPR ENG DATE
							APPR ENG		APPR ENG DATE

ITEM NO.	Description	CatalogNo	QTY.
1	GRAVEL FILTER 24"*2" SOC	F635M	3
2	FLUSHGAL VALVE DOROT 52 2"V*2"V*2"S	4508020203-07	3
3	DOUBLE NIPPLE 2"BSP GALVANIZED	4220200300	4
4	ADAPTER 2"BSP NIPPLE/VIC STEEL PAINTED	4210200300P	3
5	QUICK COUPLING 2" MODEL 75	4150102000	9
6	SCREEN FILTER F140R 4" VIC/FL	F140VFR	1
7	MAN 25 4"FC (2070) + 3*2"V (750) + 2"S + 2*3/4"S	M2504-101	1
8	MAN 25 4"VC (1930) + 3*2"V (750) + 3/4"S	M2504-015	1
9	MAN 25 2"SS (1910) + 3*2"V (750) + 1/4"S	M2502-010	1
10	SUPPORT LEG TE 4" -180	LEG4-15-180	1
11	SUPPORT LEG TE 8" -180	LEGSP8-180	1
12	AIR VALVE 2"BSP A.R.I DG-10 PN10 PLASTIC	4501020001-01	1
13	FLOW CONTROL VALVE DOROT 44 2"S (25m^3/h)	4512020003-05	1
14	PRESSURE CONTROL HEAD UP TO 10Bar (3/4" CON)	CS11010001	1
15	PRESSURE DOUBLE POINT UP TO 10Bar (3/4" CON)	CS11010002	1
16	PLUG 3/4"BSP PLASTIC	4180076501	1
17	PLUG 2"BSP GALVANIZED	4180200300	3
18	QUICK COUPLING 4" MODEL 75	4150104000	1
19	QUICK COUPLING GASKET 2" EPDM	4084020200	1
20	QUICK COUPLING GASKET 4" EPDM	4084040200	1
21	FLANGE GASKET 4" SBR	4083040700	2
22	COMPLETE BOLT FOR 4"FL DIN PN16	SB00040040-1D	2
23	GRAVEL №1 SACK (25kg)	4020022500	21
24	FITTING SET	CS22010000	1
25	PAINTING SET	CS22040000	1
26	PLASTIC BAND SET	CS22020000	1
27	STICKERS SET	CS22050000	1
28	TEFLON ROLL SET	CS22060000	1
29	CONTROL PIPE 8mm	CS22030000	1
30	MANUAL OPERATION	CS22070000	1



**ALL FLANGES - DIN PN16**



DWG No	635-03-140-026	SHEET	4 OF 6	CAT No	635-03-140-026	REV	01	CREATED DATE	13/01/2010
DESCRIPTION	SYSTEM F635M *3 + F140VFR W/O CON								
COUNTRY	INLET PRESSURE		DRAWN		STATUS				
	UP TO 8 Bar		DavidT		In Work				
CLIENT	FLOW RATE		SCALE		DIM		APPR MARK		APPR MARK DATE
	60 m <sup>3</sup> /h		A4 1:28		mm		ORNA		
							APPR ENG		APPR ENG DATE